



*Touch, caress, feel.*

What do your walls and floors reveal?





RAK Ceramics presents the

# Top Class

COLLECTION

an exquisite ceramic and porcelain tile series that will free your senses. Inspired by the natural textures and patterns of our environment, this collection is an amalgamation of several sub-products developed using the brand new digital printing technology that RAK Ceramics are pioneers in. This technology allows for an intricate finishing on the product that give you the sense of the elements used, as if they are real. The **TOP-CLASS** Collection comprises of patterns such as animal skins, fabric materials and unique designs that feature in this luxury tile series, to give your home that special touch.



# Scales

Experience the touch of skin with the **Top-Class Scales** Collection. This series replicates the wild and natural beauty of skin and scales to form exotic patterns on tile. Make a bold statement with the Scales Series.



# SCALES COLLECTION




**Top Class Scales White** PC 16  
14/TPSCAL-WH  
30x60cm / 12"x24"



**Top Class Scales Ivory** PC 16  
14/TPSCAL-IV  
30x60cm / 12"x24"



**Top Class Scales Beige** PC 16  
14/TPSCAL-BE  
30x60cm / 12"x24"




**Top Class Scales Violet** PC 16  
14/TPSCAL-VLT  
30x60cm / 12"x24"



**Top Class Scales White  
Border** PS 03  
6x30cm / 2,5"x24"



**Top Class Scales Beige  
Border** PS 03  
6x30cm / 2,5"x24"



**Top Class Scales Brown  
Border** PS 03  
6x30cm / 2,5"x24"






# Fabrica

**Top Class Fabrica** gathers inspiration from both contemporary and classic fabrics that add an elegant touch to bathroom and bedrooms by leaving a remarkable impression on the walls.

# FABRICA COLLECTION



Top Class Fabrica White PC 15  
14/TPFAB-WH  
30x60cm / 12"x24"




Top Class Fabrica Ivory PC 15  
14/TPFAB-IV  
30x60cm / 12"x24"



Top Class Fabrica Beige PC 15  
14/TPFAB-BE  
30x60cm / 12"x24"



Top Class Fabrica Violet PC 15  
14/TPFAB-VLT  
30x60cm / 12"x24"



Top Class Fabrica PS 03  
Beige Border  
8x30cm / 3"x12"



Top Class Fabrica PS 03  
Brown Border  
8x30cm / 3"x12"







# Ray

**Top Class Ray** has beautifully designed sharp string finishes on its surface giving it a unique look that adds vibrancy to a lively interior surrounding.

# RAY COLLECTION



Top Class Ray White  
14/TPRAY-WH  
30x60cm / 12"x24" PC 15



Top Class Ray Ivory  
14/TPRAY-IV  
30x60cm / 12"x24" PC 15



Top Class Ray Beige  
14/TPRAY-BE  
30x60cm / 12"x24" PC 15



Top Class Ray Violet  
14/TPRAY-VLT  
30x60cm / 12"x24" PC 15



Top Class Ray White Decor PS 04  
14/TPRAY-WH D  
30x60cm / 12"x24"



Top Class Ray Ivory Decor PS 04  
14/TPRAY-IV D  
30x60cm / 12"x24"



Top Class Ray Beige Decor PS 04  
14/TPRAY-BE D  
30x60cm / 12"x24"



Top Class Ray Violet Decor PS 04  
14/TPRAY-VLT D  
30x60cm / 12"x24"



Top Class Ray White Border  
6x30cm / 2,5"x24" PS 03



Top Class Ray Ivory Border  
6x30cm / 2,5"x24" PS 03




Top Class Ray Violet Border  
6x30cm / 2,5"x24" PS 03








# SCALES COLLECTION



**Top Class Scales White**  
6GPTPSCAL-WH  
60x60cm / 24"x24"

Matt [PG 11](#)  
Lapato [PG 13](#)



**Top Class Scales Beige**  
6GPTPSCAL-BE  
60x60cm / 24"x24"

Matt [PG 11](#)  
Lapato [PG 13](#)



**Top Class Scales Grey**  
6GPTPSCAL-GY  
60x60cm / 24"x24"

Matt [PG 11](#)  
Lapato [PG 13](#)



**Top Class Scales Black**  
6GPTPSCAL-BK  
60x60cm / 24"x24"

Matt [PG 14](#)  
Lapato [PG 16](#)


















**Top Class Scales Skirting\***  
60x8cm / 12"x3"

[PGA 4](#)

















\* Available in all colour ranges

# TECHNICAL SPECIFICATIONS

## CERAMIC TILES

Test Discription	Standard Test Method	Standard Requirements ISO13006 / EN 14411	R.A.K. Ceramics Standard
 Length & Width	BS EN ISO 10545-2	+/- 0.5%	+/- 0.1%
 Thickness	BS EN ISO 10545-2	+/- 10%	+/- 5.0%
 Rectangular Squareness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
 Straightness of sides	BS EN ISO 10545-2	+/- 0.3%	+/- 0.2%
 Surface Flatness	BS EN ISO 10545-2	+5% -3%	+/- 0.2%
 Water Absorption	BS EN ISO 10545-3	> 10% - < = 20%	> 10% - < = 16%
 Modulus of Rupture N/mm <sup>2</sup>	BS EN ISO 10545-4	> = 12	> = 18
 Breaking Strength	BS EN ISO 10545-4	> = 600 N	> = 800 N
 Resistance to Surface Abrasion	BS EN ISO 10545-7	Manufacturer to state abrasion class	PEI Class 3 - 4
 Coefficient of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	<=7 X 10 <sup>-6</sup> °C
 Thermal Shock Resistance	BS EN ISO 10545-9	Test method available	No visible defect
 Crazing Resistance	BS EN ISO 10545-11	Required	No crazing
 Resistance to Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum GB	Class GA No Visible effect
 Resistance to Low Concentrations Acids & Alkalis	BS EN ISO 10545-13	Manufacturer to state abrasion class	Class GLA No Visible effect
 Resistance to Stains	BS EN ISO 10545-14	Min. Class 3	Class 5 Stains removed

## GRES PORCELLANATO

Test Discription	Standard Test Method	Standard Requirements ISO13006 / EN 14411	R.A.K. Ceramics Standard
 Length & Width	BS EN ISO 10545-2	+/- 0.6%	+/- 0.1%
 Thickness	BS EN ISO 10545-2	+/- 5%	+/- 5.0%
 Rectangular Squareness	BS EN ISO 10545-2	+/- 0.6%	+/- 0.2%
 Straightness of sides	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
 Surface Flatness	BS EN ISO 10545-2	+/- 0.5%	+/- 0.2%
 Water Absorption	BS EN ISO 10545-3	< = 0.5%	< = 0.4%
 Modulus of Rupture N/mm <sup>2</sup>	BS EN ISO 10545-4	> = 35	> = 40
 Breaking Strength	BS EN ISO 10545-4	> = 1300 N	> = 2400 N
 Resistance to Surface Abrasion	BS EN ISO 10545-7	Manufacturer to state abrasion class	PEI Class 2 - 4
 Coefficient of Linear Thermal Expansion	BS EN ISO 10545-8	Test method available	<=7 X 10 <sup>-6</sup> °C
 Thermal Shock Resistance	BS EN ISO 10545-9	Test method available	No visible defect
 Crazing Resistance	BS EN ISO 10545-11	Required	No crazing
 Frost Resistance	BS EN ISO 10545-12	Required	No visible damage
 Resistance to Household Chemicals & Swimming Pool Salts	BS EN ISO 10545-13	Minimum GB	Class GA No Visible effect
 Resistance to Low Concentrations Acids & Alkalis	BS EN ISO 10545-13	Manufacturer to state abrasion class	Class GLA No Visible effect
 Resistance to Stains	BS EN ISO 10545-14	Min. Class 3	Class 5 Stains removed

*Top Class*  
COLLECTION





**RAK**  
CERAMICS

*Close to you worldwide*

P.O. Box: 4714, Ras Al Khaimah, United Arab Emirates (U.A.E.),  
Tel : +971 7 2445046, Fax: +971 7 2445270,  
[officemail@rakceram.com](mailto:officemail@rakceram.com)

[www.rakceramics.com](http://www.rakceramics.com)